

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=8; day=14; hr=10; min=34; sec=44; ms=157;]

=====

Application No: 10578248 Version No: 1.0

Input Set:

Output Set:

Started: 2008-08-14 09:53:54.622
Finished: 2008-08-14 09:53:55.356
Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 734 ms
Total Warnings: 11
Total Errors: 0
No. of SeqIDs Defined: 11
Actual SeqID Count: 11

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)

SEQUENCE LISTING

<110> University of Nevada, Reno
Tam-Chang, Suk-Wah
Hunter, Kenneth W.
Publicover, Nelson G.

<120> IMPROVED METHODS FOR DETECTING AND MEASURING SPECIFIC NUCLEIC
ACID SEQUENCES

<130> 031673-002000

<140> 10578248
<141> 2008-08-14

<150> 60/517,399
<151> 2003-11-06

<160> 11

<170> PatentIn version 3.3

<210> 1
<211> 20
<212> DNA
<213> Artificial

<220>

<223> Reporter Oligonucleotide (RO-TAMRA). The 5'-TAMRA-labeled
oligonucleotide is complementary to the 5' tail sequence of the
capture oligonucleotide.

<400> 1

aaaatccacc caccaccc

20

<210> 2
<211> 20
<212> DNA
<213> artificial

<220>

<223> Reporter Complement (RC). This oligonucleotide is complementary
to the reporter oligonucleotide.

<400> 2

gggtggggtg ggtggatttt

20

<210> 3
<211> 79
<212> DNA
<213> artificial

<220>

<223> Capture Oligonucleotide (CO) is a 79-mer oligonucleotide has a

short nucleotide sequence complementary to a sequence in the murine B7.2 mRNA.

<400> 3
gggtggggtg ggtggatttt cccaaactta cggatcgtgg gtgcttcgt aagtttggc 60
ccctcctcct ccctcctcc 79

<210> 4
<211> 79
<212> DNA
<213> artificial

<220>
<223> Control Capture Oligonucleotide (CCO). This oligonucleotide has the same sequence as the capture oligonucleotide except that three thymines replace three guanines at positions 23 to 25 (from the 5' terminus).

<400> 4
gggtggggtg ggtggatttt aaaaaaactta cggatcgtgg gtgcttcgt aagtttttc 60
ccctcctcct ccctcctcc 79

<210> 5
<211> 24
<212> DNA
<213> artificial

<220>
<223> 24mer Target Sequence (24mer). This oligonucleotide represents a target that is complementary to 24 nucleotides in the target recognition sequence in the CO and CCO.

<400> 5
cccaaactta cggaaggcacc cacg 24

<210> 6
<211> 67
<212> DNA
<213> artificial

<220>
<223> B7-67mer Target Sequence (B7-67mer). This oligonucleotide represents a segment of the murine B7.2 mRNA sequence. Its sequence is complementary to the 22 nucleotides in the mRNA recognition sequence.

<400> 6
ccagaactta cggaaggcacc cacgatggac cccagatgca ccatgggctt ggcaatcctt 60
atctttg 67

<210> 7
<211> 20
<212> DNA
<213> artificial

<220>
<223> Address Oligonucleotide with Disulfide (AO/SS). This oligonucleotide has a disulfide group at the 5' end that enables its attachment to the substrate.

<400> 7
ggaggaggga ggaggagggg 20

<210> 8
<211> 70
<212> DNA
<213> artificial

<220>
<223> Capture oligonucleotide (CO) sequence used in Example 6.

<400> 8
gggtgggtgg gtgggtatcc tcccttacat cgtgggtgct tccgttaagggg tgggaggagg 60
ggagggagag 70

<210> 9
<211> 67
<212> DNA
<213> artificial

<220>
<223> B7-67mer sequence is identical to SEQ ID NO:6, which represents a segment of the murine B7.2 mRNA sequence.

<400> 9
ccagaactta cggaagcacc cacgatggac cccagatgca ccatgggctt ggcaatcatt 60
atctttg 67

<210> 10
<211> 15
<212> DNA
<213> artificial

<220>
<223> T3 sequence complementary to the CO loop region

<400> 10
ggaagcacc acgat 15

<210> 11
<211> 15

<212> DNA

<213> artificial

<220>

<223> SM sequence differs from the T3 sequence in only one base at position 6.

<400> 11

ggaagaaccc acgat

15